

Uzunluk Length (mm)	Hortum Çapı Hose Diameter
1000	
1500	3/4"
2000	1"
2500	1 1/4"
3000	1 1/2"
3500	2"

**SUCTION HOSE R4****PRESSURE HOSE R2 - 90° ELBOW - STRAIGHT**

Uzunluk Length (mm)	Hortum Çapı Hose Diameter
1000	
1500	3/4"
2000	1"
2500	1 1/4"
3000	1 1/2"
3500	2"


**PRESSURE HOSE R2 - STRAIGHT - STRAIGHT**

Uzunluk Length (mm)	Hortum Çapı Hose Diameter
1000	
1500	3/4"
2000	1"
2500	1 1/4"
3000	1 1/2"
3500	2"

**PRESSURE HOSE R2 - 90° ELBOW - 90° ELBOW**

Uzunluk Length (mm)	Hortum Çapı Hose Diameter
1000	
1500	3/4"
2000	1"
2500	1 1/4"
3000	1 1/2"
3500	2"





OIL INDICATOR
PRODUCT TYPE
76 mm
127 mm



FILTER FLANGE
PRODUCT TYPE
SQUARE



RETURN FILTER
PRODUCT TYPE
110 lt
150 lt



FILTER CONNECTION
PRODUCT TYPE
--



RETURN FILTER
PRODUCT TYPE
240 lt
260 lt



BALL VALVE
PRODUCT TYPE
R 1/2"
R 3/4"
R 1"
R 1 1/4"
R 1 1/2"
R 2"



FILLER CUP
PRODUCT TYPE
FILLER CUP



HOSE CLIP
PRODUCT TYPE
Ø 44-Ø 46
Ø 47-Ø 51
Ø 52-Ø 55
Ø 56-Ø 61
Ø 62-Ø 66
Ø 74-Ø 83



FILTER FLANGE
PRODUCT TYPE
OVAL



WASHER
PRODUCT TYPE
R 3/8"
R 3/4"
R 1"
R 1 1/4"



WASHER WITH SEAL
PRODUCT TYPE
R 3/8"
R 1/2"
R 3/4"
R 1"
R 1 1/4"
R 1 1/2"
R 2"



AIR HOSE-Ø6
PRODUCT TYPE
10 mt
15 mt
20 mt
25 mt
30 mt
35 mt



AIR FITTING "T"
PRODUCT TYPE
M12
R 1/4
R 1/8



AIR FITTING ELBOW
PRODUCT TYPE
M12
R 1/4
R 1/8



AIR FITTING STRAIGHT
PRODUCT TYPE
M12-Ø 6
R 1/4-Ø 6
R 1/8-Ø 6
M12-Ø 8
R 1/4-Ø 8
R 1/8-Ø 8




AIR HOSE KIT WITH PNEUMATIC FITTING
PRODUCT TYPE
FULL KIT




Filtreli Yağ Tank Kapağı  
Filter Oil Tank Cover




Giriş Rekoru G1 1/4"  
Inlet Coupling G1 1/4"




Yağ Tank Pleyt  
Oil Tank Plate



Hilal Tank Pleyt  
Hilal Tank Plate



3B İzam Tank Pleyti  
3B İzam Tank Plate



Tank Pleyt  
Tank Plate



Tekli Damper Valfi  
Single Dumper Valve



İkili Damper Valfi  
Double Dumper Valve



Üçlü Damper Valfi  
Tripple Dumper Valve



Dörtlü Damper Valfi  
Fourfold Dumper Valve



Pnömatik Kontrol  
Pneumatic Control



Elektrik Kontrol  
Electric Control



Limit Kontrol Valf  
Limit Control Valve



Pnömatik Valf  
Pneumatic Valve



Çıkış Rekoru G3/4" - M22  
Outlet Coupling G3/4" - M22



Çıkış Rekoru G3/4" 12 - G3/4" 14  
Outlet Coupling G3/4" 12 - G3/4" 14



Çıkış Rekoru G1" - G3/4"  
Outlet Coupling G1" 12 - G3/4



Nipel Bağlantısı  
Union Straight



Saplama  
M10x12x23x45  
Stud M10x12x23x45



Saplama  
M12x15x23x50  
Stud M12x15x23x50




Saplama  
M12x15x32x115  
Stud M12x15x32x115



Yağ Tank Kapağı  
Oil Tank Cover



Yağ Seviye  
Göstergesi  
Oil Level Indicator



Yağ Tank Takozu  
Oil Tank Rubber



Müşür  
Switch




Müşür G1/4  
Switch G1/4



Kod Code	Max Debi (lt/dk)	Kapasite (kcal/h) Capacity	Basınç (bar) Pressure	Voltaj (AC/DC) Voltage	Termostat (C) Thermostat
KZL2020	90	6000	20	220V 12-24 V	50/60



Kod Code	Max Debi (lt/dk)	Kapasite (kcal/h) Capacity	Basınç (bar) Pressure	Voltaj (AC/DC) Voltage	Termostat (C) Thermostat
KZL2024	135	12000	20	220V 12-24 V	50/60



Kod Code	Max Debi (lt/dk)	Kapasite (kcal/h) Capacity	Basınç (bar) Pressure	Voltaj (AC/DC) Voltage	Termostat (C) Thermostat
KZL2030	150	24000	20	220V 12-24 V	50/60



Kod Code	Max Debi (lt/dk)	Kapasite (kcal/h) Capacity	Basınç (bar) Pressure	Voltaj (AC/DC) Voltage	Termostat (C) Thermostat
KZL2040	250	28000	20	220V 12-24 V	50/60



Kod Code	Max Debi (lt/dk)	Kapasite (kcal/h) Capacity	Basınç (bar) Pressure	Voltaj (AC/DC) Voltage	Termostat (C) Thermostat
KZL2050	350	40000	20	220V 12-24 V	50/60



Kod Code	Max Debi (lt/dk)	Kapasite (kcal/h) Capacity	Basınç (bar) Pressure	Voltaj (AC/DC) Voltage	Termostat (C) Thermostat
KZL2075	480	60000	20	220V 12-24 V	50/60

Hidrolik yağ soğutucular Hidrolik mobil vinçler hidrolik ile çalışan tüm makinalarda kullanılmak üzere tasarlanmış davlumbazı ve fanı ile kompakt bir üründür.

Because it is used in the whole machines which start with hydraulic in hydraulic oil cooling, hydraulic mobile winc, it is a compact product which is planned with paddle box and fan.